	Application N .	Applicant(s)
Notice of Allowability	10/608,994	MCMILLAN ET AL.
	Examiner	Art Unit
	William H. Mayo III	2831
The MAILING DATE of this communicati n appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>June 1, 2004</u> .		
2. The allowed claim(s) is/are <u>1-7,9-17 and 19-21</u> .		
3. The drawings filed on 27 June 2003 are accepted by the E	xaminer.	
 4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" on noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply ENT of this application.	complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER'es reason(s) why the oath or declara	S AMENDMENT or NOTICE OF tion is deficient.
 CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the 	on's Patent Drawing Review (PTO-9 S Amendment / Comment or in the O 84(c)) should be written on the drawin	office action of
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT For the comment of the comment	sit of BIOLOGICAL MATERIAL n	nust be submitted. Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Date 8), 7. ☐ Examiner's Amendm	e
		William H. Mayo III Primary Examiner Art Unit: 2831

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 1-7, 9-17, and 19-21 are allowed.
- 2. The following is an examiner's statement of reasons for allowance: This invention deals with a device a container, a splice supporting member, and a locking mechanism comprising a protrusion having a gradually sloped face on a first side and a barrier face on a second side; one of the protrusion and a channel being defined on the outside surface of the member and the other protrusion and channel being defined by an inside surface of the container; wherein the protrusion has an gradually sloped face engaging a gradual drop-off face on a first side of the channel and the barrier face engaging a steeply rising face on the second side of the channel when a user attempts to remove from the container (claim 1). This invention also deals with a protective enclosure comprising a member, a substantially tubular container, wherein an annular rib is received in an annular channel; one of the rib and a channel being defined on the outside of the member and the other rib and channel being defined by an inside surface of the container; wherein the rib has a gradually sloped face on one side and a barrier face on another side; and having a gradual drop-off face on a one side which engages the gradually sloped face when the member is received into the container; said channel also having a steep rise face on another side which engages the barrier face when a user attempts to remove from the container (claim 18). This invention also deals with a protective enclosure comprising a member, a substantially tubular container, and an

Art Unit: 2831

annular rib which is received in an annular channel, one of the rib and a channel being defined on the outside of the member and the other rib and channel being defined by an inside surface of the container; wherein the rib has an offset shark toothed cross section that makes the rib receivable into and lockable within the channel which has a reciprocating cross sectional shape (claim 21). The above stated claim limitations, in combination with other claim limitations, is not taught or suggested by the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Response to Arguments

3. Applicant's arguments filed June 1, 2004 have been fully considered and they are persuasive. Specifically, the applicant argument "the Office Action's application of Span-Deck is too far reaching and that the examiner has not suggested any objective evidence in support of his position that the steep rise/barrier face arrangement of the present invention is an extended application of obvious attributes" from Smith, as asserted, and therefore the rejection under 35 USC 103(a) is improper, is persuasive and therefore the claims have been allowed.

Communication

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to William H. Mayo III whose telephone number is (571)-272-1978. The examiner can normally be reached on M-F 8:30am-6:00 pm (alternate Fridays off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard can be reached on (571) 272-2800 ext 31. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

William H. Mayo III Primary Examiner Art Unit 2831

July 6, 2004